

# TECHNICAL BULLETIN



## Proper Tools for Fastening Metal Panels

### Overview

This technical bulletin is intended to be a guide to proper fastening of metal panels to wood or metal frame buildings. The selection of the proper tools for the fastening of metal roofing panels is critical for ease of installation, proper watertight sealing of the building, and the integrity of the connection.

### Discussion

In any type of metal panel fastening application, screw guns with an adjustable clutch and/or a depth sensing nosepiece are the recommended tools of choice to maintain integrity of the panel and building. This will assure that fasteners are installed at their optimum level. Often panels can be pre-drilled to prevent “walking” of the drill point across the surface of the panel. One should select a tool with the appropriate RPM for the application as noted in this Technical Bulletin.

### Accessories

Drive sockets with a recessed magnet and internal lobular hex design can help to reduce damage to paint on the fastener head, reduce wobble and increase socket life.



Care should be taken to remove metal chips that accumulate in the magnet socket so that the hex of the screw is embedded completely into the socket.

Make sure the head of the fastener is fully encapsulated into the hex drive socket. This will eliminate wobble of the screw, improve drilling performance and minimize damage to the head of the screw. Also, any drill filings need to be removed from the panels immediately to prevent rust stain.

Installers are encouraged to check the

fastener product specifications for additional information on correct tools to use.

### Tightening the Fasteners

It is critical to install fasteners so that the sealing washer performs at its optimal level to prevent leaks. Care should be taken when tightening the screws for sealing of the EPDM washer.



(Note: this image is for general consideration. The fastener manufacturer should be consulted for recommended tightening guidance)

### Tools Not Recommended

**Impact drivers are not recommended for fastening metal panels, or composite panels used for roof and/or wall system installation.** These tools can cause damage to the drill points, break screws, chip painted surfaces, and strip threads on Type 300 stainless steel screws. Overdriven screws also damage the EPDM sealing washer and could potentially cause leaks.



Paint damage that can occur from using impact driver guns

**High speed screw-guns with RPM greater than 2500 should not be used with fasteners used to attach metal panels to framing systems.** When the drill point is rotating and cutting the substrate, it creates friction which generates heat. If the heat is

high enough it can damage the hard surface of the screw and cause the point to “burn-up”. Slower speed screw-guns used with less pressure during drilling will, minimize the amount of friction, heat, and damage to the drill point. The high RPM tools can also cause over-driving, damaging the fastener head which can lead to premature corrosion.

## Tools Recommended and Screw Gun Speeds:

### Metal to Metal Application

When fastening metal panels to metal framing the total thickness of materials being used must be determined. Whether a self-drilling or self-tapping fastener is used, proper selection of the RPM is important. Slower screw gun speeds will improve the drilling performance by reducing the heat that is generated during the drilling of the screw.

The following screw gun speeds are recommended to assure fasteners perform at their optimal level. Use variable speed screw guns for best performance.

(Carbon steel or 410 Stainless Steel)

<u>Steel Thickness</u>	<u>Screw-gun RPM</u>
Less than 1/4”	2,500 RPM Maximum
1/4” to 1/2”	2,000 RPM Maximum

(304 Stainless Steel)

<u>Steel Thickness</u>	<u>Screw-gun RPM</u>
All thicknesses	2,000 RPM (max) for self-drilling
All thicknesses	1,000 RPM for self-tapping

### Metal to Wood Application

In this application, a screw gun with 0-2500 RPM is recommended for fastening metal panels.

## Conclusions

Use of the wrong tool or a driver with excessive RPM can lead to fastener damage and problems. Among these are damage to fastener heads, over-driving, scratches, and damage to paint finishes leading to premature corrosion.

Founded in 1983, the Metal Construction Association brings together the diverse metal construction industry for the purpose of expanding the use of all metals used in construction. MCA promotes the benefits of metal in construction through:

- Technical guidance
- Product certification
- Educational and awareness programs
- Advocating for the interests of our industry
- Recognition of industry-achievement awards
- Monitoring of industry issues, such as codes and standards
- Research to develop improved metal construction products
- Promotional and marketing support for the metal construction industry
- Publications to promote use of metal wall and roof products in construction

For more information, please visit the MCA Web site at [www.metalconstruction.org](http://www.metalconstruction.org)

**Copyright © 2019 Metal Construction Association. All rights reserved.**

No part of this publication may be reproduced in any form or by any means, including photocopying, or utilized by any information storage or retrieval system without permission of the copyright owner.

This document is for general information only. The document is designed to delineate areas requiring consideration. Information contained in the document should not be used without first securing competent advice with respect to its suitability for any given application. MCA does not assume responsibility and disclaims any representation or warranty, express or implied, that such information is suitable for any general

or particular use. Anyone making use of the document assumes all liability resulting from such use.

The existence of the document does not in any respect preclude a member or nonmember of MCA from manufacturing, selling, or specifying products not conforming to the document, nor does the existence of an MCA document preclude its voluntary use by persons other than MCA members. The document does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of the guideline to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before use of the document.

The Metal Construction Association reserves the right to change, revise, add to, or delete any data contained in the document without prior notice.

It is the responsibility of the end user to verify the applicability of this information with the local building and fire officials.