

TECHNICAL BULLETIN



Roof Covering Repair Requirements and the International Codes

Overview:

Metal roof materials are common in the building code and are regulated for structural and fire performance in Chapter 15 of the International Building Code (IBC). The service life of metal roofing is typically extremely long however there are instances where changes in roof mounted equipment or roof damage may result in the need for roof repairs. On many occasions, MCA has been asked what types of roof repair materials are required and what direction is provided by the codes. Material decisions are often based on two factors.

1. The required structural performance of the roofing assembly.
2. The fire classification required for the roofing assembly.

These two factors are covered through a combination of IBC Chapter 15 and Section 705 Reroofing in the International Existing Building Code (IEBC)

Discussion:

When buildings are Reroofed, the IBC is very clear in Section 1511 Reroofing that the materials and methods of application used for either recovering or replacing the existing roof covering must comply with the performance requirements of Chapter 15 with two very specific exceptions.

1. Roof replacement or recover of an existing low slope roof shall not be required to meet the minimum design slope requirement defined in section 1507 (2% slope) for roofs that provide positive roof drainage.
2. Roof replacement or recover shall not be required to meet the requirement for emergency overflow as defined in Section 1503.4 for roofs that provide for positive roof drainage.

Structural Performance

The most obvious requirement of the roof assembly is that the structural roof components shall be capable of supporting the roof-covering system and the expected material and equipment loads that will be encountered during both construction and the service life of the roof system. (1511.2)

The roof-covering system shall also be capable of resisting the anticipated wind and snow loads. This would include the requirements of ASTM E1592 or FM 4474 for structural standing-seam metal panel roof systems or ASTM E1592 FM 4474 or UL 580 for structural through-fastened metal panel roof systems. (Exceptions apply for cold-formed steel roofs designed in accordance with Section 2210.1 and aluminum roofs designed and tested in accordance with Section 2002.1). (1504.3.2)

Metal roof shingles shall be tested in accordance with ASTM D3161, FM 4474, UL580 or UL1897. Metal roof shingles tested in accordance with ASTM D3161 shall also meet the classification requirements of Table 1504.1.1. (1504.3.3)

Roof coverings shall also meet the physical property and impact resistance requirements of Sections 1504.6 and 1504.7.

Fire Classification

Many roofs are required to meet fire resistance performance levels determined by ASTM E108 or UL 790. (1505.1) Typically, the roof will be designated "Class A", "Class B" or "Class C" depending upon the fire performance rating in these tests. MCA supports the requirements of Section 705 of the IEBC which states that when recovering or replacing a roof assembly, the materials and methods of application must continue to meet the originally intended performance requirements.

This position is supported in IBC Section 1511 and IEBC Section 705.

While the repairs can be accomplished using a variety of currently available materials, the important issue is maintaining the overall structural, fire, and weather-resistant performance of the roof assembly.

Conclusion:

While the majority of the ICC codes target new construction, there are specific performance requirements defined in the IEBC.

For roof assemblies, the reference code section is 705 where it is clearly stated that the level of performance for the building should not be diminished by any repairs that take place. This guidance should aid designers and building maintenance personnel in material selection and building departments providing roof repair permits.

Founded in 1983, the Metal Construction Association brings together the diverse metal construction industry for the purpose of expanding the use of all metals used in construction. MCA promotes the benefits of metal in construction through:

- Technical guidance
- Product certification
- Educational and awareness programs
- Advocating for the interests of our industry
- Recognition of industry-achievement awards
- Monitoring of industry issues, such as codes and standards
- Research to develop improved metal construction products
- Promotional and marketing support for the metal construction industry
- Publications to promote use of metal wall and roof products in construction

For more information, please visit the MCA Web site at www.metalconstruction.org

**Copyright © 2020 Metal Construction Association.
All rights reserved.**

No part of this publication may be reproduced in any form or by any means, including photocopying, or utilized by any information storage or retrieval system without permission of the copyright owner.

This document is for general information only. The document is designed to delineate areas requiring consideration. Information contained in the document should not be used without first securing competent advice with respect to its suitability for any given application. MCA does not assume responsibility and disclaims any representation or warranty, express or implied, that such information is suitable for any general or particular use. Anyone making use of the document assumes all liability resulting from such use.

The existence of the document does not in any respect preclude a member or nonmember of MCA from manufacturing, selling, or specifying products not conforming to the document, nor does the existence of an MCA document preclude its voluntary use by persons other than MCA members. The document does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of the guideline to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before use of the document.

The Metal Construction Association reserves the right to change, revise, add to, or delete any data contained in the document without prior notice.

It is the responsibility of the end user to verify the applicability of this information with the local building and fire officials.